## I. In the Claims:

1. (CURRENTLY AMENDED) A method of diagnosing a patient, <u>implemented</u> as a set of instructions executed by a computing device, through the reuse of medical script objects used in the automated diagnosis or management of a medical condition, the method comprising:

providing, to the computing device, a plurality of disease objects, each disease object processing data indicative of an abnormal health state or disease and each disease object associated with a plurality of symptom objects, each symptom object processing data indicative of a patient sign, complaint, finding, or test result;

providing, to the computing device, a plurality of symptom objects, each symptom object processing data indicative of at least a patient sign, complaint, finding, or test result;

associating, via the computing device, a disease object with at least one symptom object;

assigning, via the computing device, a weight for each symptom <u>object</u>, wherein a particular disease object includes a preferred weight for one or more preferred symptom <u>objects</u> and an alternative weight for one or more related alternative symptom <u>objects</u>, wherein the <u>preferred symptom objects</u> and the alternative symptom <u>objects</u> for a particular preferred symptom <u>object</u> are selected from a set of archived symptom objects that are available for reuse;

receiving, via direct interactive dialogue between a user and the computing device, a patient symptom input;

associating the patient symptom input with at least one symptom object;

in conjunction with a computing environment, selecting, via the computing device, from the disease objects, a at least one disease object applicable to a patient based on at least one of the preferred symptom object or the alternative symptom object; and

in conjunction with a computing environment, invoking, via the computing device, a preferred symptom object or one of the related

alternative symptom objects for the selected disease object so as to output determine a diagnosis of a patient based on the object invocation; and

outputting, via the computing device, a diagnosis based at least one of the invoking or selecting,

wherein each object comprises an encapsulated combination of data and processes that manipulate the data.

- 2. (ORIGINAL) The method defined in Claim 1, additionally comprising assigning a new name for a symptom object that is reused.
- 3. (ORIGINAL) The method defined in Claim 1, wherein the set of archived symptom objects is stored in a database.
- 4. (ORIGINAL) The method defined in Claim 3, additionally comprising accessing the set of archived symptom objects stored in the database via a global computer network.
- 5. (PREVIOUSLY PRESENTED) The method defined in Claim 1, wherein each symptom object has underlying objects used to establish the <u>a</u> symptom, wherein the objects are arranged in a hierarchical relationship.

6. (CURRENTLY AMENDED) An object based automated <del>computer-implemented</del> diagnostic system <u>implemented</u> as a set of instructions executed by a <u>computing device</u> comprising:

a plurality of <u>diagnostic</u> objects which interact, <u>as executed by the computing device</u>, to <u>receive input from a user and</u>, <u>as a result of said interaction</u>, determine a diagnosis of a patient, <u>an object being an encapsulated combination of data and processes that manipulate the data</u>, wherein the objects include[[s]] at least two diagnostic objects comprising:

a disease object processing data indicative of an abnormal health state or disease, a symptom object processing data indicative of a patient sign, complaint, finding, or test result, a valuator object processing data indicative of a value of the a symptom of the patient, a question object processing data indicative of questions to ask the patient specific to a specific symptom of the patient, a node object processing data indicative of a single well-defined question to the patient, and a candidates object processing data indicative of candidate diseases for diagnosis of the patient, wherein the objects are arranged in a hierarchical relationship such that the result of one of the objects is input to another of the objects; and

at least one of the diagnostic objects directly invokes another of the diagnostic objects in a computer-based medical diagnostic system so as to output a diagnosis of a patient based on the prior object invocation[[,]].

wherein the system is operable on a computing environment.

- 7. (CURRENTLY AMENDED) The system of Claim 6, wherein the <u>diagnostic</u> objects include a plurality of disease objects and a plurality of symptom objects.
- 8. (ORIGINAL) The system of Claim 6, additionally comprising an engine object to coordinate the other objects.

9. (CURRENTLY AMENDED) An object based automated diagnostic system implemented as a set of instructions executed by a computing device comprising:

a plurality of diagnostic objects which interact to <u>receive input from a user and, as a result of said interaction,</u> determine a diagnosis of a patient, <del>an object being an encapsulated combination of data and processes that manipulate the data</del>, wherein the diagnostic objects include at least a plurality of disease objects, each <u>diagnostic disease</u> object processing data indicative of an abnormal health state or disease,

a plurality of symptom objects, each symptom object processing data indicative of a patient sign, complaint, finding, or test result, and a plurality of valuator objects, each valuator object processing data indicative of a value of the a symptom of the patient, and

wherein at least some of the diagnostic objects perform their own tasks and directly call upon other diagnostic objects to perform their tasks at the appropriate time in a computer-based medical diagnostic system so as to output a diagnosis of a patient, wherein the system is operable on a computing environment.

10. (PREVIOUSLY PRESENTED) The system of Claim 9, wherein at least one of the plurality of disease objects includes a preferred weight for a preferred symptom and an alternative weight for one or more alternative symptoms of the preferred symptom.

11. (CURRENTLY AMENDED) A computer-implemented method of diagnosing a patient through the reuse of medical script objects <u>implemented as a set of instructions executed by a computing device and</u> used in the automated diagnosis or management of a medical condition, the method comprising:

providing a plurality of disease objects, each disease object processing data indicative of an abnormal health state or disease and each disease object associated with a plurality of symptom objects, each symptom object processing data indicative of a patient sign, complaint, finding, or test result;

receiving, via direct interactive dialogue between a user and the computing device, a patient symptom input;

<u>associating the patient symptom input with at least one symptom</u> <u>object;</u>

assigning, via the computing device, a weight for each symptom one or more symptoms, wherein a particular disease object includes a preferred weight for one or more preferred symptoms and an alternative weight for one or more alternative symptoms, wherein the alternative symptoms for a particular preferred symptom are selected from a set of archived symptom objects that are available for reuse, and wherein the particular preferred symptom has one or more related alternative symptoms that represent different approaches for eliciting further diagnostic information related to a same patient health condition;

in conjunction with a computing environment, selecting, via the computing device, from the plurality of disease objects, a disease object applicable to a patient; and

in conjunction with a computing environment, invoking, via the computing device, a preferred symptom object or one of the related alternative symptom objects for the selected disease object so as to output a diagnosis of a patient based on the object invocation; and

outputting, via the computing device, a diagnosis based at least one of the invoking or selecting,

wherein the system is operable on a computing environment, and

wherein each object comprises an encapsulated combination of data and processes that manipulate the data.

- 12. (PREVIOUSLY PRESENTED) The method of Claim 11, wherein the one or more alternative symptom is a plurality of symptoms, wherein the alternative weight is a plurality of alternative weights, and wherein the alternative weights for the plurality of alternative symptoms of the particular preferred symptom are different.
- 13. (PREVIOUSLY PRESENTED) The method of Claim 12, wherein the alternative weights for the one or more alternative symptoms of the particular preferred symptom and the preferred weight of the particular preferred symptom are different.
- 14. (PREVIOUSLY PRESENTED) The method of Claim 11, additionally comprising assigning a new name for a symptom object that is reused.
- 15. (PREVIOUSLY PRESENTED) The method of Claim 11, wherein the set of archived symptom objects is stored in a database.
- 16. (PREVIOUSLY PRESENTED) The method of Claim 15, additionally comprising accessing the set of archived symptom objects stored in the database via a global computer network.
- 17. (PREVIOUSLY PRESENTED) The method of Claim 11, wherein each symptom object has underlying objects used to establish a symptom.
- 18. (PREVIOUSLY PRESENTED) The method defined in Claim 1, wherein the reuse includes using one of the archived symptom objects in conjunction with a plurality of disease objects.
- 19. (PREVIOUSLY PRESENTED) The method defined in Claim 1, wherein a particular preferred symptom is selected when a particular diagnosis is likely.
- 20. (PREVIOUSLY PRESENTED) The system of Claim 6, wherein the objects include a disease object, a symptom object, a valuator object, a question object, a node object and a candidates object.
- 21. (PREVIOUSLY PRESENTED) The system of Claim 20, wherein the symptom object invokes the valuator object.
- 22. (PREVIOUSLY PRESENTED) The system of Claim 20, wherein the valuator object invokes the question object.

- 23. (PREVIOUSLY PRESENTED) The system of Claim 20, wherein the question object invokes the node object.
- 24. (PREVIOUSLY PRESENTED) The system of Claim 6, wherein a particular disease is associated with a plurality of disease objects corresponding to different phases of the particular disease.
- 25. (PREVIOUSLY PRESENTED) The system of Claim 6, wherein a particular disease is associated with a plurality of disease objects corresponding to different populations for the particular disease.
- 26. (PREVIOUSLY PRESENTED) The system of Claim 6, wherein a particular disease object is representative of a plurality of related diseases that share common symptoms.
- 27. (PREVIOUSLY PRESENTED) The system of Claim 6, wherein the objects act independently of other objects and a particular object retains a record of its actions for future reference.
- 28. (PREVIOUSLY PRESENTED) The system of Claim 6, wherein each object has corresponding data and processes, and wherein the data is encapsulated so that other objects only see the processes of a particular object that can be invoked to access the data.
- 29. (PREVIOUSLY PRESENTED) The system of Claim 6, wherein a particular disease object monitors the questions and answers of other disease objects.
- 30. (PREVIOUSLY PRESENTED) The system of Claim 8, wherein the engine object coordinates a plurality of concurrently operating disease objects by switching execution among the disease objects.
- 31. (PREVIOUSLY PRESENTED) The system of Claim 9, wherein one of the symptom objects invokes one of the valuator objects.
- 32. (PREVIOUSLY PRESENTED) The system of Claim 9, wherein the plurality of objects includes a plurality of question objects and node objects.
- 33. (PREVIOUSLY PRESENTED) The system of Claim 32, wherein one of the valuator objects invokes one of the question objects.
- 34. (PREVIOUSLY PRESENTED) The system of Claim 32, wherein one of the question objects invokes one of the node objects.

- 35. (PREVIOUSLY PRESENTED) The system of Claim 9, wherein a particular disease is associated with a plurality of disease objects corresponding to different phases of the particular disease.
- 36. (PREVIOUSLY PRESENTED) The system of Claim 9, wherein a particular disease is associated with a plurality of disease objects corresponding to different populations for the particular disease.
- 37. (PREVIOUSLY PRESENTED) The system of Claim 9, wherein a particular disease object is representative of a plurality of related diseases that share common symptoms.
- 38. (PREVIOUSLY PRESENTED) The system of Claim 9, wherein the objects act independently of other objects and a particular object retains a record of its actions for future reference.
- 39. (PREVIOUSLY PRESENTED) The system of Claim 9, wherein each object has corresponding data and processes, and wherein the data is encapsulated so that other objects only see the processes of a particular object that can be invoked to access the data.
- 40. (PREVIOUSLY PRESENTED) The system of Claim 9, wherein a particular disease object monitors the questions and answers of other disease objects.
- 41. (PREVIOUSLY PRESENTED) The system of Claim 9, additionally comprising an engine object to coordinate the other objects.
- 42. (PREVIOUSLY PRESENTED) The system of Claim 41, wherein the engine object coordinates a plurality of concurrently operating disease objects by switching execution among the disease objects.
- 43. (PREVIOUSLY PRESENTED) The method of Claim 11, wherein the reuse includes using one of the archived symptom objects in conjunction with a plurality of disease objects.
- 44. (PREVIOUSLY PRESENTED) The method of Claim 11, wherein a particular preferred symptom is selected when a particular diagnosis is likely.
- 45. (PREVIOUSLY PRESENTED) The method of Claim 1, wherein a particular disease is associated with a plurality of disease objects corresponding to different phases of the particular disease.

- 46. (PREVIOUSLY PRESENTED) The method of Claim 1, wherein a particular disease is associated with a plurality of disease objects corresponding to different populations for the particular disease.
- 47. (PREVIOUSLY PRESENTED) The method of Claim 1, wherein a particular disease object is representative of a plurality of related diseases that share common symptoms.
- 48. (PREVIOUSLY PRESENTED) The method of Claim 1, wherein the selected disease object directly invokes another of the plurality of disease objects.
- 49. (PREVIOUSLY PRESENTED) The system of Claim 6, wherein the disease object directly invokes another disease object.
- 50. (PREVIOUSLY PRESENTED) The system of Claim 6, wherein the disease object directly invokes the symptom object.
- 51. (PREVIOUSLY PRESENTED) The system of Claim 9, wherein one of the plurality of disease objects directly calls another of the plurality of disease objects.
- 52. (PREVIOUSLY PRESENTED) The method of Claim 11, wherein the selected disease object directly invokes another of the plurality of disease objects.
- 53. (PREVIOUSLY PRESENTED) The method of Claim 1, wherein the diagnosis identifies at least one abnormal health state.
- 54. (PREVIOUSLY PRESENTED) The system of Claim 6, wherein the diagnosis identifies at least one abnormal health state.
- 55. (PREVIOUSLY PRESENTED) The system of Claim 9, wherein the diagnosis identifies at least one abnormal health state.
- 56. (PREVIOUSLY PRESENTED) The method of Claim 11, wherein the diagnosis identifies at least one abnormal health state.